sloper.fit -- CALIBRATION TEST SHEET & PATTERN OVERVIEW

GARMENT: WOMEN'S CIRCLE SKIRT GENERATOR UK 14 | PROFILE: UK 14 / US 10 / EU 42 (L) | DATE: 10/18/2026 | REV: 1 | CHECSUM: 36ae24de

< 100 mm (10 cm) >

TEST SQUARE

100 mm x 100 mm

10 x 10 cm | 100 x 100 mm

MEASURE OUTER BLACK FRAME

Ruler must match outer edges exactly.

Printer scale must be 100% (No page scaling).

Hash: 36ae24de

Women's Circle Skirt Generator UK 14 (UK 14 / US 10 / EU 42 (L))

PHYSICAL SCALE VERIFICATION INSTRUCTIONS FOR SEWERS

1. Printer Setup: Print this Page 1 alone. In your printer dialogue, set Page Scaling to "Actual Size" or "100%". Turn OFF "Fit to Printable Area" or "Shrink oversized pages".

2. Ruler Check: Measure the outer black box above with a physical millimeter ruler. It must measure exactly 100 mm x 100 mm (10.0 cm / 3.94 in). If off by even 1-2mm, the garment will fit incorrectly.

3. Print Pattern: Once 100mm scale is verified, proceed to print Sheets 2 through 55 (the 9 x 6 pattern tile grid).

PATTERN TILE ASSEMBLY GRID (9 COLUMNS x 6 ROWS = 54 TILES)

Trim right and bottom border lines along dashed cutlines. Align corner crosshairs and tape sheets together in numerical sequence:

p.2	p.3	p.4	p.5	p.6	p.7	p.8	p.9	p.10
p.11	p.12	p.13	p.14	p.15	p.16	p.17	p.18	p.19
p.20	p.21	p.22	p.23	p.24	p.25	p.26	p.27	p.28
p.29	p.30	p.31	p.32	p.33	p.34	p.35	p.36	p.37
p.38	p.39	p.40	p.41	p.42	p.43	p.44	p.45	p.46
p.47	p.48	p.49	p.50	p.51	p.52	p.53	p.54	p.55









IN-SEAM POCKET BAG

CUT 4 | Lightweight Cotton Pocketing

Lightweight Cotton Pocketing | Pattern Piece

+10mm Seam Allowance

NE

SKIRT WAISTBAND

CUT 1 | Self Fabric + Fusible Interfacing

Self Fabric + Fusible Interfacing | Pattern Piece

+10mm Seam Allowance








GRAINLINE



GRAINLINE

CUT 1 PAIR

FULL CIRCLE SKIRT PANEL

CUT 1 PAIR (Left & Right) | Place on folded fabric. | Self Fabric (Woven Drape / Cotton Sateen / Linen)

Self Fabric (Woven Drape / Cotton Sateen / Linen) | Cut 2 mirrored plies through folded fabric

+10mm Seam Allowance