

sloper.fit -- CALIBRATION TEST SHEET & PATTERN OVERVIEW

GARMENT: WOMEN'S CLASSIC SKIRT SLOPER UK 14 | PROFILE: UK 14 / US 10 / EU 42 (L) | SEAM ALLOWANCE: 15mm | HASH: 100145c1




PHYSICAL SCALE VERIFICATION INSTRUCTIONS FOR SEWERS

- 1. Printer Setup:** Print this Page 1 alone. In your printer dialogue, set Page Scaling to "Actual Size" or "100%". Turn OFF "Fit to Printable Area" or "Shrink oversized pages".
- 2. Ruler Check:** Measure the outer black box above with a physical millimeter ruler. It must measure exactly 100 mm x 100 mm (10.0 cm / 3.94 in). If off by even 1-2mm, the garment will fit incorrectly.
- 3. Print Pattern:** Once 100mm scale is verified, proceed to print Sheets 2 through 25 (the 8 x 3 pattern tile grid).

PATTERN TILE ASSEMBLY GRID (8 COLUMNS x 3 ROWS = 24 TILES)

Trim right and bottom border lines along dashed cutlines. Align corner crosshairs and tape sheets together in numerical sequence:


p.2	p.3	p.4	p.5	p.6	p.7	p.8	p.9
p.10	p.11	p.12	p.13	p.14	p.15	p.16	p.17
p.18	p.19	p.20	p.21	p.22	p.23	p.24	p.25




SKIRT BACK (HALF-PATTERN)

CUT 1 ON FOLD (CB) | Self Fabric

Fold fabric at CB | 0mm seam allowance on fold






SKIRT FRONT (HALF-PATTERN)

CUT 1 ON FOLD (CF) | Self Fabric

Fold fabric at CF | 0mm seam allowance on fold

+15mm Seam Allowance

CF : PLACE ON FOLD




GRAINLINE


SKIRT FOLDED WAISTBAND

CUT 1 | Self Fabric + Interfacing

Self Fabric + Interfacing | Pattern Piece

+15mm Seam Allowance






SKIRT BACK (HALF-PATTERN)

CUT 1 ON FOLD (CB) | Self Fabric

Fold fabric at CB | 0mm seam allowance on fold

+15mm Seam Allowance

GRAINLINE



15mm Seam Allowance

GRAINLINE

FOLD ON THIS LINE -- CENTER FRONT (CF) : PLACE ON FOLD











