

sloper.fit -- CALIBRATION TEST SHEET & PATTERN OVERVIEW

GARMENT: WOMEN'S CIRCLE SKIRT GENERATOR UK 16 | PROFILE: UK 16 / US 12 / EU 44 (Curvy / XL) | DATE: 10/18/2026 | SRM: ALLOWANCE 3.0mm



PHYSICAL SCALE VERIFICATION INSTRUCTIONS FOR SEWERS


- 1. Printer Setup:** Print this Page 1 alone. In your printer dialogue, set Page Scaling to "Actual Size" or "100%". Turn OFF "Fit to Printable Area" or "Shrink oversized pages".
- 2. Ruler Check:** Measure the outer black box above with a physical millimeter ruler. It must measure exactly 100 mm x 100 mm (10.0 cm / 3.94 in). If off by even 1-2mm, the garment will fit incorrectly.
- 3. Print Pattern:** Once 100mm scale is verified, proceed to print Sheets 2 through 61 (the 10 x 6 pattern tile grid).


PATTERN TILE ASSEMBLY GRID (10 COLUMNS x 6 ROWS = 60 TILES)


Trim right and bottom border lines along dashed cutlines. Align corner crosshairs and tape sheets together in numerical sequence:


p.2	p.3	p.4	p.5	p.6	p.7	p.8	p.9	p.10	p.11
p.12	p.13	p.14	p.15	p.16	p.17	p.18	p.19	p.20	p.21
p.22	p.23	p.24	p.25	p.26	p.27	p.28	p.29	p.30	p.31
p.32	p.33	p.34	p.35	p.36	p.37	p.38	p.39	p.40	p.41
p.42	p.43	p.44	p.45	p.46	p.47	p.48	p.49	p.50	p.51
p.52	p.53	p.54	p.55	p.56	p.57	p.58	p.59	p.60	p.61











GRAINLINE




**IN-SEAM POCKET
BAG**

CUT 4 | Lightweight
Cotton Pocketing

Lightweight Cotton
Pocketing | Pattern Piece

+10mm Seam Allowance

GRAINLINE



GRAINLINE

SKIRT WAISTBAND

CUT 1 | Self Fabric + Fusible Interfacing |

Self Fabric + Fusible Interfacing |


+10mm Seam Allowance


SKIRT WAISTBAND

1 | Self Fabric + Fusible Interfacing

Fabric + Fusible Interfacing | Pattern Piece

+10mm Seam Allowance



















GRAINLINE
















GRAINLINE

CU

FULL CIRCLE SKIRT PANEL

CUT 1 PAIR (Left & Right) | Place on folded fabric. | Self Fabric (Woven Drape / Cotton Sateen / Linen)

Self Fabric (Woven Drape / Cotton Sateen / Linen) | Cut 2 mirrored plies through folded fabric

+10mm Seam Allowance

