sloper.fit -- CALIBRATION TEST SHEET & PATTERN OVERVIEW

GARMENT: WOMEN'S CIRCLE SKIRT GENERATOR UK 8 | PROFILE: UK 8 / US 4 / EU 36 (S) | DATE: 15/03/2026 | REV: 1 | HASH: 7e3b5f39

< 100 mm (10 cm) >

TEST SQUARE

100 mm x 100 mm

10 x 10 cm | 100 x 100 mm

MEASURE OUTER BLACK FRAME

Ruler must match outer edges exactly.

Printer scale must be 100% (No page scaling).

Hash: 7e3b5f39

Women's Circle Skirt Generator UK 8 (UK 8 / US 4 / EU 36 (S))

PHYSICAL SCALE VERIFICATION INSTRUCTIONS FOR SEWERS

1. Printer Setup: Print this Page 1 alone. In your printer dialogue, set Page Scaling to "Actual Size" or "100%". Turn OFF "Fit to Printable Area" or "Shrink oversized pages".

2. Ruler Check: Measure the outer black box above with a physical millimeter ruler. It must measure exactly 100 mm x 100 mm (10.0 cm / 3.94 in). If off by even 1-2mm, the garment will fit incorrectly.

3. Print Pattern: Once 100mm scale is verified, proceed to print Sheets 2 through 49 (the 8 x 6 pattern tile grid).

PATTERN TILE ASSEMBLY GRID (8 COLUMNS x 6 ROWS = 48 TILES)

Trim right and bottom border lines along dashed cutlines. Align corner crosshairs and tape sheets together in numerical sequence:

p.2	p.3	p.4	p.5	p.6	p.7	p.8	p.9
p.10	p.11	p.12	p.13	p.14	p.15	p.16	p.17
p.18	p.19	p.20	p.21	p.22	p.23	p.24	p.25
p.26	p.27	p.28	p.29	p.30	p.31	p.32	p.33
p.34	p.35	p.36	p.37	p.38	p.39	p.40	p.41
p.42	p.43	p.44	p.45	p.46	p.47	p.48	p.49






GRAINLINE


IN-SEAM POCKET BAG
CUT 4 | Lightweight Cotton Pocketing
Lightweight Cotton Pocketing | Pattern Piece
+10mm Seam Allowance
GRAINLINE

SKIRT WAISTBAND

CUT 1 | Self Fabric + Fusible Interfacing

Self Fabric + Fusible Interfacing | Pattern Piece

+10mm Seam Allowance






GRAINLINE





GRAINLINE

CUT 1 PAIR (Left & Right) | P

Self Fabric (Woven D

FULL CIRCLE SKIRT PANEL

eft & Right) | Place on folded fabric. | Self Fabric (Woven Drape / Cotton Sateen / Linen)

f Fabric (Woven Drape / Cotton Sateen / Linen) | Cut 2 mirrored plies through folded fabric

+10mm Seam Allowance