

sloper.fit -- CALIBRATION TEST SHEET & PATTERN OVERVIEW

GARMENT: WOMEN'S CLASSIC BODICE SLOPER UK 8 | PROFILE: UK 8 / US 4 / EU 36 (S) | DATE: 10/10/2020 | VERSION: 1.0 | HASH: 504a6765




PHYSICAL SCALE VERIFICATION INSTRUCTIONS FOR SEWERS

- 1. Printer Setup:** Print this Page 1 alone. In your printer dialogue, set Page Scaling to "Actual Size" or "100%". Turn OFF "Fit to Printable Area" or "Shrink oversized pages".
- 2. Ruler Check:** Measure the outer black box above with a physical millimeter ruler. It must measure exactly 100 mm x 100 mm (10.0 cm / 3.94 in). If off by even 1-2mm, the garment will fit incorrectly.
- 3. Print Pattern:** Once 100mm scale is verified, proceed to print Sheets 2 through 7 (the 3 x 2 pattern tile grid).

PATTERN TILE ASSEMBLY GRID (3 COLUMNS x 2 ROWS = 6 TILES)


Trim right and bottom border lines along dashed cutlines. Align corner crosshairs and tape sheets together in numerical sequence:


p.2	p.3	p.4
p.5	p.6	p.7



BODICE BACK BLOCK (HALF-PATTERN)


CUT 1 ON FOLD (CB) | Self Fabric / Muslin





FOLD ON THIS LINE -- CENTER FRONT (CF) : PLACE ON FOLD

GRA




BODICE BACK BLOCK (HALF-PATTERN)

CUT 1 ON FOLD (CB) | Self Fabric / Muslin

Fold fabric at CB, 10mm seam allowance on fold

+10mm Seam Allowance



BODICE FRONT BLOCK (HALF-PATTERN)

CUT 1 ON FOLD (CF) | Self Fabric / Muslin
Fold fabric along Center Front | 0mm seam allowance on fold line

+10mm Seam Allowance

FOLD ON THIS LINE

GRAINLINE

